To: EPA5511
To: EPA93028
To: EPA9340
To: EPA9374

From: EPA9323 Delivered: Tue 23-July-91 8:37

EDT Sys 163 (53)

Subject: COKE PLANT SITE - POLREP #1 Mail Id: IPM-163-910723-077650779

POLREP #1

COKE PLANT SITE

ROUTE 2

FOLLANSBEE, COUNTY, WV 26037

ATTN: CHARLIE KLEEMAN, GREGG CRYSTALL AND STEPHEN LUFTIG

- I. SITUATION (1200 HOURS, MONDAY, JULY 22, 1991)
 - A. FOR APPROXIMATELY TWO WEEKS A LIGHT SHEEN HAS BEEN PRESENT AROUND OUTFALL 001 ON THE OHIO RIVER AT THE WHEELING PITTSBURGH STEEL COKE PLANT LOCATED IN FOLLANSBEE, WV. ON FRIDAY 7/19/91, 1600 HOURS, A MORE SUBSTANTIAL AMOUNT OF OILLIKE SUBSTANCE WAS FOUND THROUGHOUT THE SAME AREA. WHEELING PITTSBURGH IMMEDIATELY CONTRACTED MPW INDUSTRIAL SERVICES, LOCATED IN PITTSBURGH, PA, TO DEPLOY BOTH SORBENT AND CONTAINMENT BOOMS. THE CHESTER ENGINEERS, A PRIVATE CONTRACTOR ON SITE FOR ANOTHER PURPOSE AT THE FACILITY, WAS TASKED TO IDENTIFY THE SOURCE.
 - B. OSC FENSKE WAS NOTIFIED OF THE SITUATION, AND DIRECTED TAT TO REVIEW THE MEASURES TAKEN BY WHEELING PITTSBURGH STEEL ON SATURDAY 7/20/91.

II. ACTIONS TAKEN

- A. 7/20/91, 1240 HOURS, TAT ARRIVED ON SITE AND MET WITH ED GLENN (AREA SUPERVISOR OF BY-PRODUCTS DIVISION).
 MR. GLENN UPDATED TAT REGARDING THE BACKGROUND OF THE RELEASE.
- B. TAT AND MR. GLENN PROCEEDED TO OUTFALL AREA. TAT
 OBSERVED AND PHOTODOCUMENTED A SHEEN ALONG THE LEFT
 DESCENDING BANK OF THE OHIO RIVER. CONTAINMENT AND
 SORBENT BOOMS WERE PLACED TO CONTAIN AND COLLECT THE
 SHEEN. MR. GLENN INFORMED TAT THAT MPW WOULD PAD THE
 AREAS IN WHICH HEAVIER CONTAMINATION WAS FOUND AGAINST

THE CONTAINMENT BOOM. ALTHOUGH THE OUTFALL DID NOT APPEAR TO BE RELEASING MORE OF THE SUBSTANCE AT THAT TIME, A SOURCE HAD NOT YET BEEN IDENTIFIED. TAT NOTED THAT THE BOOMS WERE ADEQUATELY CONTAINING THE SHEEN AND THAT NO SHEEN WAS OBSERVED DOWNSTREAM OF THE SITE.

C. BEFORE DEPARTING THE SITE AT 1600 HOURS, TAT CONVEYED TO MR. GLENN PER OSC FENSKE'S REQUEST, THE IMMINENT NATURE OF LOCATING THE SOURCE AND THE OSC'S INTENTIONS OF CONTACTING WHEELING PITTSBURGH STEEL FOR AN UPDATE ON MONDAY, 7/22/91.

III. FUTURE PLANS

- A. WHEELING PITTSBURGH STEEL TO CONTINUE MAINTAINING BOOMS AND PADS WHILE THE SOURCE SEARCH IS BEING CONDUCTED.
- B. OSC AND TAT TO CONTINUE MONITORING THE SITE UNTIL THE SOURCE IS IDENTIFIED AND MITIGATIVE ACTIONS ARE TAKEN.

JAMIE FENSKE, OSC U.S. EPA - REGION III WHEELING, WV

SEPA Notification of Hazardous Waste Site

United States Environmental Protection Agency Washington DC 20460

This initial notification information is
required by Section 103(c) of the Compre-
hensive Environmental Response, Compen-
sation, and Liability Act of 1980 and must
he melled by lune 0 1001

Please type or print in ink. If you need additional space, use separate sheets of paper. Indicate the letter of the item which applies.

(Red	AL)

	sation, and Liability Act of 1980 are be mailed by June 9, 1981.	nd must	which applies.	
			81060	4 wvs-000-001-015
A	Person Required to Notify:		trib a a 1 d a a	Dittal and a second
	Enter the name and address of the person		Name Wheeling	-Pittsburgh Steel Corporation
	or organization required to notify.		Street P. O. Bo	x 118
			City Pittsbur	gh State PA Zip Code 15230
В	Site Location:			Pitisburgh SHEL CORP
	Enter the common name (if known	n) and	Name of Site	benville East Plant
	actual location of the site.		Street Rout	e 2
				Proche - W.W Occor
			City Follansbee	County Brooke State W.Va. Zip Code 26003
С			Name (Last, First and Title	Samples, William R Corporate Manager
	Enter the name, title (if applicable) isiness telephone number of the		Name (Last, First and Title	Environmental Contro
	contact regarding information	pordon	Phone 304/23472	936
	submitted on this form.			
$\overline{\mathbf{D}}$	Dates of Waste Handling:			
	Enter the years that you estimate v		From (Year) Pre-1965	5 To (Year) 1980 (for KO87)
	treatment, storage, or disposal beg ended at the site.	jan and	riolii(Teal) IIC IJO.	Site continues to be used for disposal of
	1 110 = 1101 0			other materials.
_	M1000011 10	151		
E	Waste Type: Choose the option	n you pre	efer to complete	
	Option I: Select general waste typ you do not know the general waste oncouraged to describe the site in	e types or	sources, you are	Option 2: This option is available to persons familiar with the Resource Conservation and Recovery Act (RCRA) Section 3001 regulations (40 CFR Part 261).
	Place an X in the appropriate	Source o Place an boxes.	f Waste: X in the appropriate	Specific Type of Waste: EPA has assigned a four-digit number to each hazardous waste listed in the regulations under Section 3001 of RCRA. Enter the appropriate four-digit number in the boxes provided. A copy of the list of hazardous wastes and codes can be obtained by contacting the EPA Region serving the State in which the site located.
	1. ☐ Organics	1. 🗆 Mii		
	 Inorganics Solvents 	2. □ Co	nstruction	K087
	4. ☐ Pesticides	4. □ Fer		
	5. ☐ Heavy metals		per/Printing	
	6. □ Acids		ather Tanning	
	7. Bases		n/Steel Foundry	
	8. PCBs		emical, General	
	9. ☐ Mixed Municipal Waste 10. ☐ Unknown		ting/Polishing litary/Ammunition	
			ctrical Conductors	
	• • • • • • • • • • • • • • • • • • • •		insformers	
			lity Companies	
			nitary/Refuse	·
		15. 🗆 Ph		RECEIVED RCRA SECTION
			o/Hospital	OCRA SECTION
		17. 🗆 Un		
		18. □ Otl	ner (Specify)	~AAR2
				JUH 481 000032
				-

Form Approved OMB No. 2000-0138 EPA Form 8900-1

	Notification of Hazardous Waste Site	Side Two	•
F	Waste Quantity:	Facility Type	Total Facility Waste Amount
ORI	GRAMe an X in the appropriate boxes to indicate the facility types found at the site.	1. Piles	cubic feet Not Available
(1	In the "total facility waste amount" space	2. E Land Treatment 3 E Landfill	gallons
	give the estimated combined quantity (volume) of hazardous wastes at the site	4. Tanks	Total Facility Area
	using cubic feet or gallons.	 5. ☐ Impoundment 6. ☐ Underground Injection 	square feet
	In the "total facility area" space, give the estimated area size which the facilities	7. Drums, Above Ground	acres 4 🖱
	occupy using square feet or acres.	8. ☐ Drums, Below Ground 9. ☐ Other (Specify)	
G	Known, Suspected or Likely Releases		
G	Place an X in the appropriate boxes to indicate		☐ Known ☐ Suspected ☐ Likely 🚨 None
	or likely releases of wastes to the environm		
	Note: Items Hand I are optional. Completing hazardous waste sites. Although completing		ate and local governments in locating and assessin encouraged to do so.
Н	Sketch Map of Site Location: (Option	al) _ V	M
	Sketch a map showing streets, highways, routes or other prominent landmarks near	# /	No V
	the site. Place an X on the map to indicate the site location. Draw an arrow showing		_
	the direction north. You may substitute a publishing map showing the site location.		
	includes drawings which d	designate the area.	
1	Description of Site: (Optional) Describe the history and present		~
	conditions of the site. Give directions to the site and describe any nearby wells, springs, lakes, or housing. Include such information as how waste was disposed and where the waste came from. Provide any other information or comments which may help describe the site conditions.		
		of Natural Resources for t	ich was filed in 1972 with the the landfill. This application
	No decanter tar sludge (M	087) has been added to thi	is site since November, 1980.
J	Signature and Title:	W1111 P - C - T	
	The person or authorized representative (such as plant managers, superintendents,	Name William R. Samples	wner, Present
	trustees or attorneys) of persons required to notify must sign the form and provide a	Wheeling-Pittsburgh Street Duvall Center	Owner, Past
	mailing address (if different than address		
	in item A). For other persons providing notification, the signature is optional.	City Wheeling Sta	ate WVA Zip Code 26003 Operator, Present

SEPA POTENTIAL HAZARDOUS WASTE S	ITE IDENTIF		REGION SI	TE NUMBER 94
NOTE: The initial identification of a potential site or inc activity or confirmation that an actual health or en be assessed under the EPA's Hazardous Waste Sit a hazardous waste problem actually exists.	vironmental t	hreat exists. Al	l identifie	ed sites will
A. SITE NAME	B. STREET (or	other identifier)		
Wheeling/Pittsburgh Steel Corporation	State	Route 2		
Follansbee	D. STATE WV	26307	F. COUNT Brook	I
G. OWNER/OPERATOR (if known)				
Wheeling - Pittsburg Steel Corp.			2. TELEP	HONE NUMBER
H. TYPE OF OWNERSHIP (if known) 1. FEDERAL 2. STATE 3. COUNTY 4. MUN	ICIPAL X	5. FRIVATE	6. UNKNOV	VN .
SITE DESCRIPTION				
The site is on alluvial terrace of the Oh	io River.	The area is h	ighly in	dustrialzed.
				'
				. · · ·
				. DATE IDENTIFIED
J. HOW IDENTIFIED (i.e., citizen's complaints, OSHA citations, etc.)				(mo,, day, & yr.)
State Hazardous Waste Enforcement Acti	on			
• **				,
The company has reportedly buried up to	300 tons	of decanter t	ank car	sludge (RCRA
hazardous waste K087) onsite. Two loca		• .		-
nazardous waste Kuo/) onsite. I wo loca	tions, cont	aing approxim	lately 1	5 tons of sludge
each, have been identified by DNR RCRA	A Enforcen	nent personne	l .	
			.,	•.
DNR has issued an administrative order	to the com	pany to clear	up the	e site.
The municipal well fields for the city of	Follansbee	e are located	within	three miles
of the site.				
•		٠.		
				•
·				
				•
M. PREPARER INFORMATION 1. NAME	į 2. TE	LEPHONE NUMBER	٦ .	3. DATE (mo., day, & yr.)
Riley Sain	(30	04) 348-5929		12-30-88

			, ;	ج , .		
	Ĺ	3		À		
SIT	Ē	NUI	ИB	ΕF	· _	_

SEPA POTENTIAL	SITE NUMB	*		
NOTE: The initial identification of a potential sation that an actual health or environment Waste Site Enforcement and Response Sy	tal threat ex	ists. All identified sites will be a	ssessed under the EP	
WhEELING - PITTSBU	NOK 5	1 to the sin		
FOLLANSBE!		state W V	ZIP CODE	
SUMMARY OF POTENTIAL OR KNOWN PROBLEM ACTIVE DIST	1998 4 S	SITE CLINE PLANT	NASTES	
ITEM	DATE OF DETERMIN- ATION OR COMPLE- TION	RESPONSIBLE ORGANIZATION OR INDIVIDUAL (EPA, State, Contractor, Other)	PERSON MAKING ENTRY TO LOG FORM	DATE ENTERED ON LOG (mo,day,yr)
1. IDENTIFICATION OF POTENTIAL PROBLEM	9/19/19	EPAWKEEING OFFICE	Jutual	12/26/09
2. PRELIMINARY ASSESSMENT				
APPARENT SERIOUSNESS OF PROBLEM:	HIGH	MEDIUM LOW NON	NE UNKNOWN	
3. SITE INSPECTION				
4. EPA TENTATIVE DISPOSITION (check appropriate item(a) below)				
a. NO ACTION NEEDED	,			
b. INVESTIGATIVE ACTION NEEDED		EPALSTAYEOF NV	augravaled	12/24/29
c. REMEDIAL ACTION NEEDED				
d. ENFORCEMENT ACTION NEEDED				
EPA FINAL STRATEGY DETERMINATION (check appropriate item(s) below)				
a. NO ACTION NEEDED				
b. REMEDIAL ACTION NEEDED				
c. REMEDIAL ACTION NEEDED BUT,				
d. ENFORCEMENT ACTION NEEDED				
(1) CASE DEVELOPMENT PLAN PREPARED				
(2) ENFORCEMENT CASE FILED OR ADMINISTRATIVE ORDER ISSUED				
6. STRATEGY COMPLETED				

EPA Form T2070-1 (10-79)

Il no incident sotification

To: EPA5511 To: EPA93028 To: EPA9340

To: EPA9374
From: EPA9323

EDT Sys 163 (72)

Subject: WHEELING-PITTSBURGH STEEL - POLREP #1

Delivered:

Mail Id: IPM-163-910620-148420880

POLREP #1

WHEELING PITTSBURGH DISPOSAL SITE

FOLLANSBEE, BROOKE COUNTY, WV 26037

ATTENTION: CHARLES KLEEMAN, GREGG CRYSTALL, AND STEPHEN LUFTIG

- I. SITUATION (1400 HOURS, THURSDAY, 6/20/91)
 - A. ON 6/20/91, REGION III EPA AND TAT CONDUCTED A VISUAL ASSESSMENT OF THE WHEELING PITTSBURGH DISPOSAL SITE IN FOLLANSBEE, BROOKE CO., WV. THIS SITE WAS USED FOR DISPOSAL OF COAL TAR. THE OBJECTIVE WAS TO GATHER INFORMATION REGARDING CURRENT SITE STATUS, DETERMINE IF THERE WAS AN IMMEDIATE THREAT TO THE PUBLIC HEALTH AND/OR THE ENVIRONMENT, AND TO DETERMINE THE SAMPLING LOCATIONS FOR A LATER SAMPLING ASSESSMENT.
 - B. THE SITE LIES ON AN AREA OF LAND WHICH IS CURRENTLY USED AS A DRYING BED FOR THE FACILITY'S WASTEWATER TREATMENT PLANT SLUDGE. DURING 1959-61, THE SITE WAS USED AS A DUMP FOR COAL TAR WHICH WHEELING PITTSBURGH STEEL (WPS) REPRESENTATIVES CLAIM WAS DUMPED BY THE KOPPERS FACILITY ADJACENT TO THE WPS COKE PLANT. THE SITE ALSO CONTAINS 40,00-50,000 CUBIC YARDS OF FILL WHICH CAME FROM THE CONSTRUCTION OF THE STEUBENVILLE BRIDGE.
 - C. PERSONNEL ON SCENE: EPA-1, TAT-1, WPS-2.
 - D. WEATHER: MOSTLY SUNNY, WARM, TEMP. IN THE HIGH 70's.

II. ACTIONS TAKEN


A. ON 6/20/91, AT 0830 HOURS, OSC AND TAT ARRIVED AT THE GUARD HOUSE OF THE WPS COKE PLANT FACILITY AND MET WITH REPRESENTATIVES TO DISCUSS CURRENT INFORMATION REGARDING THE SITE. WPS REPRESENTATIVES UPDATED EPA AND TAT ON USE OF THE SITE SINCE THE INITIAL INVESTIGATION CONDUCTED BY THE EPA BACK IN JUNE, 1982.

- B. AT 0910 HOURS, OSC, TAT AND WPS REPRESENTATIVES
 DEPARTED PLANT FACILITY AND PROCEEDED TO THE DUMP AREA
 TO PERFORM WINDSHIELD ASSESSMENT. EPA, TAT AND WPS
 REPRESENTATIVES NOTED THAT THE AREA WHICH IS BEING USED
 AS THE TREATMENT AREA FOR THE WASTE WATER FROM THE
 FACILITY CONTAINS THREE GROUND WATER MONITORING WELLS
 WHICH WILL BE IMPLEMENTED FOR USE WITHIN A WEEK, TWO
 EXPOSED COAL TAR AREAS ON THE SITE, THE FILL AREA FROM
 THE CONSTRUCTION OF THE STEUBENVILLE BRIDGE, TWO DEBRIS
 PILES WHICH APPEARED TO BE DUMP SITES USED BY CITIZENS
 TO DISPOSE OF THEIR DOMESTIC TRASH AND VARIOUS OTHER
 SMALL DEBRIS PILE AREAS.
- C. OSC AND TAT DETERMINED THAT THE COAL TAR SEEPS AND THE STREAM WOULD NEED TO BE SAMPLED WITH SEDIMENT SAMPLES BEING TAKEN OF THE COAL TAR SEEPS AND BOTH SEDIMENT AND AQUEOUS SAMPLES BEING TAKEN OF THE STREAM WHICH IS LOCATED ON SITE.
- D. OSC REQUESTED TO HAVE INFORMATION REGARDING THE MONITORING WELLS TO BE SENT TO HIS OFFICE FOR REVIEW. GERAGHTY & MILLER IS THE ENVIRONMENTAL FIRM WHICH HAS THE INFORMATION REGARDING THESE MONITORING WELLS.
- E. OSC AND TAT DEPARTED SITE AT 1020 HOURS TO DISCUSS FUTURE PLANS OF ACTION FOR THE SITE.

III. FUTURE PLANS

- A. OSC AND TAT TO PREPARE FOR A SAMPLING ASSESSMENT OF THE SITE.
- B. OSC TO OBTAIN THE JUNE 1982 REPORT OF THE INITIAL INVESTIGATION INTO THIS SITE AND REVIEW THIS REPORT TO GATHER BACKGROUND INFORMATION.
- C. OSC TO CONTACT AND UPDATE WVDNR ON THE CURRENT SITE STATUS.
- D. OSC TO AWAIT MAP OF THE GROUND WATER MONITORING WELLS WHICH HAVE BEEN PLACED ON SITE.
- E. OSC AND TAT TO CONTINUE GATHERING BACKGROUND INFORMATION ON THE SITE AND TO INVESTIGATE THE SITE FOR ALL POTENTIAL RESPONSIBLE PARTY(IES).

ENVIRONMENTAL PROTECTION AGENCY NOTIS DATA MANAGEMENT SYSTEM COMMENT MAINTENANCE FORM



Subject: wheeling pittsburgh disposal site polrep #3 and final

POLREP #3 AND FINAL WHEELING PITTSBURGH DISPOSAL SITE FOLLANSBEE, BROOKE COUNTY, WV 26037 ATTENTION: CHARLES KLEEMAN, GREGG CRYSTALL, AND ERD/OER

- I. SITUATION (1130 HOURS, TUESDAY, 1/21/92)
 - A. ON 11/11/91, TAT CONDUCTED A SAMPLING ASSESSM WHEELING PITTSBURGH SITE IN FOLLANSBEE, BROOK A TOTAL OF FIVE SOIL AND TWO WATER SAMPLES WE COLLECTED AT THE TIME OF THE SAMPLING.

ATTAINS.

B. ON 1/10/92, OSC TASKED TAT TO REVIEW THE RESU THE SAMPLES COLLECTED ON 11/11/91.

II. ACTIONS TAKEN

- A. ON 1/10/92, OSC AND TAT REVIEWED THE ANALYTIC FROM THE SAMPLES COLLECTED AT THE SITE.
- B. RESULTS INDICATED THAT THERE WAS NO IMMEDIATE PUBLIC HEALTH OR WELFARE OR THE ENVIRONMENT A SITE.

III. FUTURE PLANS

- A. OSC TO REFER SITE TO REMEDIAL SECTION OF EPA.
- B. OSC TO UPDATE FEDERAL, STATE, AND LOCAL AGENC RESULTS OF SAMPLING.
- C. OSC DEEMS NO FURTHER REMOVAL ACTIVITIES REQUITHIS SITE AT THIS TIME.

JAMIE FENSKE, OSC U.S. EPA REGION III WHEELING, WV



RECYCLEN RORA 41 EPA TO

زال

JUN 10: 000031

Duvall Center
Wheeling, West Virginia 26003

June 4, 1981

U. S. Environmental Protection Agency Region 3 Sites Notification Philadelphia, PA 19106

Re: STEUBENVILLE EAST LANDFILL

NOTIFICATION OF HAZARDOUS WASTE SITE

Gentlemen:

Attached is our "Notification of Hazardous Waste Site" for our landfill at our plant in Follansbee, West Virginia which formerly received tar decanter tank sludge.

We have reviewed your notification requirements and believe that this is our only site which requires notification. If additional sites should come to our attention, we will notify you immediately.

Very truly yours,

W. R. Samples

Manager

Environmental Control

WRS/ng Attachments

FIELD INVESTIGATIONS OF UNCONTROLLED HAZARDOUS WASTE SITES

FIT PROJECT

URIGINAL (Red)

TASK REPORT TO THE ENVIRONMENTAL PROTECTION AGENCY CONTRACT NO. 68-01-6056

A Site Inspection of

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50

Preparation Date: September 29, 1982

Presented to: Linda Y. Boornazian, Acting DPO

EPA Region III

Prepared by:

Augene Dennis

Reviewed by:

Joseph G. McGovern, FITL III

ecology and environment, inc.

International Specialists in the Environmental Sciences

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50

TABLE OF CONTENTS

Section 1	Summary and Recommendations 1.1 Summary 1.2 Recommendations
Section 2	Field Trip Report 2.1 Introduction 2.2 Contacts 2.3 Pertinent Comments 2.4 Field Observations 2.5 Sample Log 2.5.1 Low Concentration Samples 2.5.2 Medium Concentration Samples 2.5.3 Laboratories
Section 3	Site Inspection Form
Section 4	Sample Data Summary
Section 5	Toxicological Review
Section 6	Maps/Sketches 6.1 U.S.G.S. Topographical Map 7 1/2' Quad East Steubenville 6.2 Site Sketch
Section 7	Photographic Log
Section 8	Appendixes Appendix A - Sample Analysis Data Sheets Appendix B - Chain of Custody Sheets/Traffic Reports

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50

SUMMARY AND RECOMMENDATIONS

1.1 SUMMARY

The Wheeling-Pittsburg Steel Corporation is the owner of the reclaimed strip mine property where Koppers Co., Inc. disposed of coal tar waste during the period 1959 through 1961. The study area (a strip mine) is located off of Route 2 in Coketown, West Virginia. The site is approximately 50 acres in size and reportedly contains 7,500 tons of coal tar waste. Records of the disposed waste are retained by Koppers Co., Inc. Corporate Headquarters Pittsburg, PA.

The exact location of disposal of the coal tar waste is unknown. This can be expected because the material was disposed of during mine reclaimation operations. The waste tar may have been deposited throughout the strip mine. Site representative claim they were not aware of any disposed coal tar waste at the strip mine. However one suspect coal tar disposal area was located during the site inspection. The area is approximately 35 yards x 30 yards. The depth of this waste deposit could not be determined. Site representatives also claimed that they were not aware of this particular area nor of its origin. This supected coal tar waste was sampled. Analysis revealed high concentrations of organic contaminants and moderate concentrations of inorganic contaminants that are typical of coal tar waste (see sample data summary).

A second disposal area was dicovered at the southern portion of the site. A dump truck loaded with lumber was observed travelling in this direction. This section of the site was visited and piles of resin-stained lumber was observed to be openly dumped on the surface. Odors of oil or coal tar were noticed. The wood was from a demolished cooling tower at a Coke and Sinter plant. Site representatives were sensitive about this area and would not permit photographs or air monitoring. Wheeling-Pittsburgh Steel representatives stated that they were coordinating with the West Virginia

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50 Summary and Recommendations

> n Biliki Hari

Department of Natural Resources (WV DNR) for permission to dispose of this material at the present location. The WV DNR was contacted and it was revealed that Wheeling-Pittsburgh Steel has an outstanding application for a permit to allow disposal of this material at the present location.

Upstream and downstream samples were collected from Mahan Run which flows north-west through the site, and discharges into the Ohio River. These samples analyzed revealed very low concentrations (< 10 ppb) of organic contaminants and moderate concentrations of inorganic contaminants.

Residents in the Archer Heights area depend upon individual wells and springs as a water source. This are is approximately I mile to the north-east and is topographically located upgradient from the site. Groundwater in the study area is expected to flow to the west and discharge into the Ohio River. The closest public water supplies (Follansbee and Hooverson Heights systems) utilize groundwater. They are located approximately 2.5 miles to the south. The Follansbee and Hooverson Heights systems service areas along WV State Rt. 2 It is not anticipated that these water supplies are impacted by the site.

1.2 RECOMMENDATIONS

Based on the above findings, FIT Region III recommends that additional soil covering and revegetation of the suspected coal tar waste disposal area be considered.

DAIGIBA: File()

SECTION 2

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50

FIELD TRIP REPORT

2.1 INTRODUCTION

FIT Region III visited the Wheeling-Pittsburgh Steel Strip Mine in Coketown, WV on June 17, 1982. The purpose of the visit was to conduct a low priority site inspection/sampling task. The FIT team consisted of Eugene Dennis, Bruce Pluta and Susan Belski. As part of the assigned task, FIT III desired to locate and identify the area(s) of coal tar waste disposed at the strip mine. Aside from areas of unauthorized or midnight dumping practices FIT III located two areas of disposal. The field trip report addresses the investigation of these areas. Representatives that accompanied FIT were William Samples and Robert Dobson of Wheeling-Pittsburg Steel and J. E. McFadden of Koppers Co., Inc.

2.2 CONTACTS

William Samples - Manager/Environmental Control
Wheeling-Pittsburg Steel Corp.
Wheeling, West Virginia 26003
304/234-2936

J. E. McFadden - Technical Director/Industrial Products Division Koppers Co, Inc. P.O. Box M, Follansbee, WV 26037 304/527-0110

Robert Dobson - Superintendent
Wheeling-Pittsburg Steel Corp.
Coke and Sinter Plant
Follansbee, WV
614/283-5650

Jordan Dern - Koppers Co. Inc. Pittsburg, PA 15219 412/227-2870

Dave Long - Conservation Officer
West Virginia Dept. of Natural Resources
Law Enforcement Division
Brooke Co. West Virginia
304/829-4825

Mark Vignovic - West Virginia Department of Natural Resources
Division of Water Quality
Charleston, WV 25311
304/348-8855

12-1-15

2.3 PERTINENT COMMENTS

Site representatives William Samples, J. E. McFadden and Robert Dubson claim they were not aware of any coal tar waste being dumped at this location during the period 1959 through 1961.

William Samples - Wheeling-Pittsburg Steel on-site conversation Mr. Samples stated that Wheeling-Pittsburg Steel was coordinating with the WV DNR for permission to dispose of the wood debris at the present location. He also stated that photographs or air monitoring at this location would not be permitted.

Jordan Dern - Koppers Co., Inc. Telecon 8/24/82. Mr. Dern stated that according to Koppers records, 7500 tons of coal tar waste have been disposed of at the subject strip mine near Coke town West Virginia during the period 1959-1961.

Dave Long - W. Virginia Dept. of Natural Resources. Telecon 9/9/82. Mr. Long stated that the Ohio River in the area of concern has industrial and recreational uses which include boating and on and off shore fishing. He also stated that Mahau Run is not a stocked trout stream and he did not known of any other uses of the stream.

Mark Vignovic - W. Virginia Dept. of Natural Resources, telecon 9-27-82. Mr. Vignovic stated that Wheeling-Pittsburgh steel has an outstanding application for a permit to allow disposal of the wood debris at the present location. The application was submitted in May, 1982 and is presently being reviewed.

2.4 FIELD OBSERVATIONS

o The weather conditions during the site inspection were cool and cloudy with temperatures ranging between 65° and 70° .



- o The site is not bounded by a fence or any other means to control access. No gate was observed on the access road.
- o Initial observations revealed several areas where trash and wood debris had been randomly disposed. This may be an indication that unauthorized dumping is a problem at the site.
- o Excavated strip mine material was observed in one area of the site. (See site sketch).
- o FIT III observed an area where suspect coal tar waste material was openly dumped and spread on the surface. This area was approximately 35 yards x 30 yards. The surface of the waste material was sand-like and varied between 4 and 8 inches in thickness. It appeared to have volatalized leaving a solid, unconsolidated and fine-grained material. Noticeable odors were not observed upon intial entry to this area. Below the sandy top cover, a black, resin-like material was observed. Noticeable odors of coal tar were released when this material was exposed, and readings of 700 ppm on the OVA were recorded. FIT attempted to dig down into this material but it could not be penetrated more than a few inches with a shovel. Therefore, the total depth of this material is unknown. This material was sampled (see site sketch and photo #'s 1 through 8.)

- o Areas of dead vegetation and partially stained soil were observed near the disposal area.
 - o Deer tracks were noted across the disposal area.
- o FIT III observed a truck hauling resin-stained wood to another area of the site. FIT visited the area and observed piles of stained wood. Site representatives claim the wood is from a cooling tower that is being demolished and rebuilt. Wheeling-Pittsburg Steel Corp. is currently seeking WV DNR permission to legally dispose of this material at the present location. Noticeable odors of oil and coal tar were emanating from the wood pile.
- o The site is bounded by residential areas to the north, wooded/residential areas to the east, industrial/residential areas to the south and industrial areas to the west.
- o Mahan Run was observed to be a shallow, slow flowing stream with clear water. The water depth was approximately 1-1.5 ft. deep. Upstream and downstream samples were obtained.
- o Initial air monitoring with the OVA at the suspected coal tar disposal area revealed no readings above background; except when the tar was disturbed.

2.5 SAMPLE LOG

2.5.1 Low Concentration Samples

Mahan Creek downstream
Low concentration aqueous
Organic No. C1492
Inorganic No. MC9081
Time 10:15 by Susan Belski
pH= 6.9

Mahan Creek upstream
Low concentration aqueous
Organic No. C1493
Inorganic No. MC9082
Time 10:40 by Bruce Pluta
pH= 7.00

DRIGINA:

Blank
Low concentration aqueous
Organic No. C1494
Inorganic No. MC9083
By Eugene Dennis

2.5.2 Medium Concentration Samples

Suspected coal tar waste
Medium concentration solid
Organic No. C1475
Inorganic No. MC9064
Time 09:45 by Bruce Pluta

Blank
Medium Concentration aqueous
Organic No. C1596
Inorganic No. MC9185
By Susan Belski

2.5.3 Laboratories

Low concentration aqueous-organic West Coast Technical Service 1760 S, Fabrica Way, Suite D Cerritos, CA 90701

Low concentration aqueous-inorganic California Analytical Labs 5895 Power Inn Road Sacramento, CA 95824

Hazardous Samples - Medium concentration organic Energy Resources Co., Inc. 185 Alewife Brook Parkway Cambridge, Middlesex, MA 02138

Hazardous Samples - Medium concentrations inorganic Rocky Mountain Analytical Labs 5530 Marshall Street Arvado, CO 80002 可是可能感到

PRIGINAL Sect)

SECTION 3

0		
	_	$P\Delta$

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

REGION SITE NUMBER (to be assigned by Hq)

III

GENERAL INSTRUCTIONS: Complete Sections I and III through XV of this form as completely as possible. Then use the information on this form to develop a Tentative Disposition (Section II). File this form in its entirety in the regional Hazardous Waste Log File. Be sure to include all appropriate Supplemental Reports in the file. Submit a copy of the forms to: U.S. Environmental Protection Agency; Site Tracking System; Hazardous Waste Enforcement Tack Force (EN-335); 401 M St., SW; Washington, DC 20460.

tection Agency; Site Tracking Sys	tem; Hazardous Waste Enforce	ment Tack For	ce (EN-335); 401	M St., SW; Wash	nington, DC 20460.
		NTIFICATION			
A. SITE NAME Wheeling-Pitts	burgh Strip mine-	B. STREET (O	other identifier)	GS 7.5 Min	. Steubenville
Koppers Disposal Site		East: str	ip mine adja	cent to BM	681
Coketown		WV	E. ZIP CODE		M E
G. SITE OPERATOR INFORMATION		1 WV	1	Brooke	
1. NAME				2. TELEPHON	E NUMBER
Wheeling-Pittsburgh Ste	eel Company			304-234-	0000 6. ZIP CODE
1134 Market St.	Wheeling			l wv	26003
1. NAME	it different from operator of site)			2. TELEPHON	E NUMBER
3. CITY				4. STATE	5. ZIP CODE
I. SITE DESCRIPTION Reclaimed	strip mine in which	ı tar wast	es were disp	osed by Ko	ppers Co. near
Coketown West Virginia	<u> </u>				
1. FEDERAL 2. STA	TE 3. COUNTY	4. MUNICIPAL	💢 5. PRIVA	TE	
	II. TENTATIVE DISPOSITIO				
A. ESTIMATE DATE OF TENTATIVE DISPOSITION (mos, day, & yrs)	B. APPARENT SERIOUSNES	SS OF PROBLEM] 2. MEDIUM	1 ∑∑ 3. LOW	4. NONE	<u> </u>
3/15/82					
C. PREPARER INFORMATION 1. NAME		2. TELEPHO	NE NUMBER	3. DATE (mo.,	day. A. vr.)
					,, -,,
Eugene Dennis	III. INSPECTIO	1 609-665-		1_7/1/82_	
A. PRINCIPAL INSPECTOR INFORM					
1. NAME		2. TITLE			
Eugene Dennis		∟ Geolog	ist_	4. TELEPHON	E NO. (ares code & no.)
Ecology and Environmen	it. Inc. FIT III			609-665-	1515
B. INSPECTION PARTICIPANTS					
1. NAME	2. ORGA	ANIZATION		3. TEL	EPHONE NO.
Susan Belski	[[]] and [[]]		CIT 111	600 665	1 = 1 =
Bruce Pluta	Ecology and Enviror	ment, Inc	• F11 111	609-665-	1515
	• 1 •				
C. SITE REPRESENTATIVES INTER	VIEWED (corporate officials, work	kers, residents)		1	
1. NAME	2. TITLE & TELEPHONE NO		3	. ADDRESS	
W. R. Samples	Manager/Environmenta Control-304-234-2936		ling-Pittsbu ling, West V		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Technical Director-I		<u> </u>	<u> </u>	M. M
J. E. McFadden	Products Div. 304-52		ppers Co., I	nc. P.O. B	ox M. Follansh
			st Virginia		•
	Superintendent Coke	& Sinter	Plant		1 01 3 0
Robert Dobson	614-283-5650	1	wheel		urgh Steel, Co
		and S	inter Plant,	rollansbe	e, wv
		1			

Continued From Front			L				
		III.	INSPE	ECTION INFORMATION (co	ontinued)		
D. GENERATOR INFORMATION				γ····································			
1. NAME	2. TEL	EPHONE	١٥.	3. ADDR		4. WASTE TY	PE GENERATED
Koppers Co. Follansbee Plant	204 6	27-011	10	Koppers co., Inc. Follansbee WV 26	P.U. BOX M	Coal tar	.uacto
FOITAIISDEE FIAIL	304-	2/-U1	<u> </u>	FULLANSDEE, WV 25	U3/	-Loai Car	waste
				<u> </u>			
E. TRANSPORTER/HAULER IN		ION		3. ADDR) F # #	A WASTE TVE	ETRANSPORTED
Koppers Co.	2. 120	THORE I		3. 2007	(23)	4.47312111	E I MANSFOR I ED
Follansbee Plant	304-5	27-01	10	Same as above		Coal tar	waste
F. IF WASTE IS PROCESSED OF	N SITE A	ND A1 50	E W 100	TO OTHER SITES LOCKE	IEV OFFICIAL FACILITY	F6 USED 508	DISBOSAI
1. NAME		EPHONE N		TO OTHER SITES, IDERTI	3. ADDRESS	E3 G3EB FOR	DISPOSAL.
N/A				`			
G. DATE OF INSPECTION	H. TIME	OF INSPE	CTION	I. ACCESS GAINED BY: (cre	edentials must be shown i	n all cases)	
	8:30 t	o 13:0	00	1. PERMISSION	2. WARRANT		
J. WEATHER (describe)							
Cool. cloudy 60 ⁰ F							
A. Mark 'X' for the types of s	temples t	aken and		. SAMPLING INFORMATIO		ther FDA lah	contractor
etc. and estimate when the					ciit cigi, regional illo, c	outer DI A 120,	
		SAMPLE			E SENT TO:		4. DATE RESULTS
1. SAMPLE TYPE		AKEN nack 'X')		J. 3AMPL!	E SENT TO:		AVAILABLE
E. GROUNDWATER							
			Cali	ifornia Analytical	Laboratorios_I	norganic	9/9/82
b. SURFACE WATER		Χ		t Coast Technical			
c.waste Black resin			Rock	ky Mountain Analyt	ical-Inorganic	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7/19/82
suspected coal tar	waste			cgy Resources Co.,			8/2/82
d. AIR							
e, RUNOFF							
£ SPILL					ORIGINAL		
1 3P122					(Red)		
g. 501L					(usa)		,
			-				
h. VEGETATION			ł				
i. OTHER(specify)							
B. FIELD MEASUREMENTS TA	KEN (0.4.	redioecti	vity, e	mplosivity, PH, etc.)			
1.TYPE		2. LOC	ATION	OF MEASUREMENTS	3.	RESULTS	
Organic vapors w/ O	ν <u>Δ</u> ς	Suchoot	tod 4	coal tar disposal	area 700 nnm a	have bla	hka =0 npm
ULUATITE VAPULS W/ U	VA S	uspec	ceu (Loui cai uisposal	urea 7,00 ppiii d	DOVE DKY.	DryO DDIII
pH measurements	p	11 agu	11 aqueous samples pH range from 6.9 to 7.0			0	
	- 1						

Continued From Page 2		Continued From Page 2								
		IV. SAMPLING INFOR	MA	TION (continued)						
C. PHOTOS			_							
1. TYPE OF PHOTOS 2. PHOTOS IN CUSTODY OF:										
D. SITE MAPPED?	RIAL	[Ecology a	n	d Environment, Inc. F	П	Region III				
X YES. SPECIFY LOCATION				S						
Ecology and Environm	ent.	, FII III								
1. LATITUDE (degminsec.)			1 2	. LONGITUDE (degminsec.)						
40° 20' 54" N			_	80 ⁰ 36' 14" W						
A. SITE STATUS		V. SITE INFO)R)	AATION						
1. ACTIVE (Those inductrial amunicipal sites which are being us		Sites which no longer receive		3. OTHER(specify):						
for waste treatment, storage, or di on a continuing basis, even if infr		wastes.)		where no regular or continuing use has occurred.)	of	the site for waste disposaf				
quently.)		ļ								
B. IS GENERATOR ON SITE?			<u></u>			neman				
	ecify	generator's four-digit SIC Code):				964				
2. 1.23(3)	,	generator o real-argit site coasy.				· · · · · · · · · · · · · · · · · · ·				
C. AREA OF SITE (in acres)		D. ARE THERE BUILDINGS O	N .	THE SITE?						
G. AREA OF SITE (III acres)		1 76								
pprox. 50 acres		1. NO 2. YES(s	рес	city):						
opiox. 30 acres		VI CHARACTERIZATIO		OF SITE ACTIVITY						
Indicate the major site activity(es) a	VI. CHARACTERIZATIO			nria	ate boxes.				
'X'	1x1	ind details relating to each ac	X	ity by marking A in the approp	'X'	ite boxes.				
A. TRANSPORTER	Ĥ	B. STORER	_	C. TREATER	Ä	D. DISPOSER				
1.RAIL	1	.PILE		1. FIL TRATION		1. LANDFILL				
2. SHIP .	2	SURFACE IMPOUNDMENT		2. INCINERATION	2. LANDFARM					
3.BARGE	з	I. DRUMS		3. VOLUME REDUCTION		3. OPEN DUMP				
4. TRUCK	4	. TANK, ABOVE GROUND		4. RECYCLING/RECOVERY		4. SURFACE IMPOUNDMENT				
5. PIPELINE	5	S. TANK, BELOW GROUND		5. CHEM./PHYS./TREATMENT		5. MIDNIGHT DUMPING				
6.OTHER(specify):	LJ°	S.OTHER(specify):	L	6. BIOLOGICAL TREATMENT	L	6.INCINERATION				
	1		_	7. WASTE OIL REPROCESSING		7. UNDERGROUND INJECTION				
	}		L		Χ_	8. O THER (specify):				
			L.	9.OTHER(specify):	Re	claimed strip mine				
	1									
E. SUPPLEMENTAL REPORTS: If	the	ite falls within any of the cotons	Fic	listed below Simplemental Repor	te i	must be completed. Indicate				
		filled out and attached to this for		Colon, ouppremental Kepon		Company indicate				
1. STORAGE	2. INC	CINERATION 3. LANDFIL	L	4. SURFACE	5.	DEEP WELL				
6. CHEM/BIO/	7. LA	NDFARM 8. OPEN DU	JMF	9. TRANSPORTER] 10	. RECYCLOR/RECLAIMER				
		VII. WASTE RELAT	ED	INFORMATION						
A. WASTE TYPE		The state of the s				3.42				
1. LIQUID	2. SO	LID X 3. SLUDGE		4. GAS						
B. WASTE CHARACTERISTICS										
		WITABLE		VE						
1. CORROSIVE		NITABLE 3. RADIOAC	JTI	=						
X 5. TOXIC	6. RE	ACTIVE 7. INERT		8. FLAMMABLE						
9. OTHER(specify):										
C. WASTE CATEGORIES										
1. Are records of wastes available	Spe	cify items such as manifests, inv	en	tones, etc. below.						
Koppers Co. records Pittsburgh PA-stated hat 7500 tons of coal tar waste were deposited										

in the strip mine during 1959-1961.

Continued	E7	F3 4
Continued	From	H'mal

<u> </u>	int (specify unit of t	neasu							ndicate		s are p	163		
e. SLUDGE	L.	b. OIL		c. SOLVENTS		d. CHEMICALS				e. SOLIDS			f. OTHER		
MOUNT	^ ^	OUNT	1^	AMOUNT		AMOUNT		1^^	HOUNT	1					
7500	ļ	IT OF MEASURE	- . .			100	1							Inknowr	
	"	II OF MEASURE	٦	UNIT OF MEASURE		021	1 0 5 10	EASURE		IT OF MEASI	,,,,	UN	II OF ME	.3046	
tons	x·		·×				·x·			x ·			·×·		
(1) PAINT,	Ê	(1) WASTES	<u> </u>	L. HAL	VENT:	ATED		1) ACIC	S	^	(1) FLYASH			(1) LABOR	ATORY,
(2) METALS SLUDGES	\vdash	(2) OTHER <i>(epecit</i>	'y):		-HALC VENT	GNTD.	.	2) PICK	LING ORS		(2) ASBESTOS			(2) HOSPI1	AL
(3) POTW			-	(3) OTH	ER(sp	ecity):		3) C A U :	TICS		(3) MILLING/	MINE		(3) RADIO	CTIVE
(4) ALUMINUM SLUDGE							Į,	4) PEST	CIDES		(4) FERROUS	SMELT ES	χ	(4) MUNIC	PAL
X (5) OTHER(specity):							,	5) OYE:	I/INKS		(5) NON-FERF	ROUS		(5) OTHE	
Suspecte coal car waste								(6) C Y A	NIDE		(6) OTHER(SP	ecify):		ash, w bris.	100d
								(7) PHE	NOLS						
								(6) HAL	OGENS						
								(9) PCB							
								(10) ME	TALS					{P	9 % }
								(11) OT	HER(spec	cily).				JAN	OBIC
D. LIST SUBSTANCES	OF	GREATEST CONC	ERN	WHICH A	RE O	N THE	SITE	(place	in descei	nding o	rder of hazard)		_		
				2. FORM			TOX	CITY							
1. SUBSTA	NC	E	a. 50-		C. VA-	a.	ь.	C.	d.	4. CAS	NUMBER	5. A	MO	UNT	6. UNIT
			LID	L1Q.	POR	нісн	MEO	LOW	NONE						<u> </u>
Suspected seal	uspected coal tar		χ				X N/A Uni		Unkr	<u>10v</u>	vn	N/A			
Suspected Coa					1			1	1 1						
Suspected Coa															
Suspected Cod															
Suspected Coa															
Suspected Coa															
Suspected Coa															
Suspected coa															
Suspected coa				V	TI MA	ZAPP	DES	CPIPT	ION						
		AZARO DESCR	IPTIC					CRIPT box to		that t	he listed haz	ard exis	its.	Describ	e the
FIELD EVALUATIO	Z T		IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the
FIELD EVALUATIO	N H	ided.	IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the
FIELD EVALUATION hazard in the space of the	N H	ided.	IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the
FIELD EVALUATIO	N H	ided.	IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the
FIELD EVALUATION hazard in the space of the	N H	ided.	IPTIC							that t	he listed haz	ard exis	its.	Describ	e the
FIELD EVALUATION hazard in the space part of the	N H	ided.	IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the
FIELD EVALUATION hazard in the space part of the	N H	ided.	IPTIC							that t	he listed haz	ard exis	sts.	Describ	e the

For 72070-2 (10-79)

Continue On Page 5

Continued From Front	
	VIII. HAZARD DESCRIPTION (continued)
X H. DAMAGE TO FLORA/FAUNA	
Obvious signs of dead v	regetation in suspected coal tar waste disposal area.
	· ·
	·
	•
I. FISH KILL	
None reported	
Holle Pepor sed	
☑ J. CONTAMINATION OF AIR	
Organic Vapor Analyzer	revealed readings of 700 ppm at the suspected coal tar
waste disposal area.	, , , , , , , , , , , , , , , , , , , ,
waste disposal area.	
İ	
!	
X K. NOTICEABLE ODORS	
Distinct odono of soci	ton works at disposal and
Distinct odors of coal	tar waste at disposal area.
İ	
ļ	
}	
	grigin al
1	(Red)
(X)	
L. CONTAMINATION OF SOIL	add above and at assemble 1 and 1 to see 1 to 1 and 1
Areas of contaminated s	oil observed at suspected coal tar waste disposal area.
1	
•	
1	
M. PROPERTY DAMAGE	
1 —	
None	
1	
1	
i	
]	
1	

Continued From Page 4	Andreas and the second
	VIII. HAZARD DESCRIPTION (continued)
B. NON-WORKER INJURY/EXPOSURE	
None reported-However,	potential exist through direct contact with suspected
coar tar.	
C. WORKER INJURY/EXPOSURE	
Nove was autod	
None reported.	
1	(Davi)
	(Red)
	DANIGINAL
	·
D. CONTAMINATION OF WATER SUPPLY	
None	
None	
į	
ĺ	
i	
E. CONTAMINATION OF FOOD CHAIN	
1	
į	
y	
F. CONTAMINATION OF GROUND WATER	
Dotontial exists due to	strin mina activity not reported however
Potential exists due to	strip mine activity-not reported however.
X G. CONTAMINATION OF SURFACE WATE	0
G. CONTAMINATION OF SURFACE WATE	
	revealed very low concentrations (< 10 ppb) of various
	taminants and moderate concentrations of inorganic
contaminants.	

Continued From Page 6
VIII. HAZARD DESCRIPTION (continued)
N. FIRE OR EXPLOSION
None reported.
O. SPILLS/LEAKING CONTAINERS/RUNOFF/STANDING LIQUID
Suspected coal tar waste openly spilled onto surface.
original or the state of the st
(Red)
P. SEWER, STORM DRAIN PROBLEMS
Mak annilianti
Not applicable
区 Q. EROSION PROBLEMS
Site is a reclaimed strip mine and is moderately eroded.
and is moderately eroded.
T] R. INADEQUATE SECURITY
The site does not have any means to control access.
S. INCOMPATIBLE WASTES
No.based on available records of waste disposed.

		VIII. HA	ZARD DES	CRIPTION (co	ntinued)		·		
T. MIDNIGHT DUMPING									
Domestic trash, wo	od and	other	debris	observed	during	inspection	on. No	site secu	rity.
									- 1
									- 1
U. OTHER (epecity):								****	\neg
Not Applicable									
7,7									
•									
									- 1
_									
•									1
							ngigiNAL		
							(Red)		1
· · · · · · · · · · · · · · · · · · ·							,		
	IX. P	OPULAT	ION DIREC	TLY AFFEC				T	_
A. LOCATION OF POPULATION	B. APPROX. NO. OF PEOPLE AFFECTED				O WITHIN	OF BU	ROX, NO. JILDINGS ECTED	E. DISTANC TO SITE (specify units	
	OF PEC	JPLE AFF	ECTED	UNIT	AREA	AFF	ECIED	(Specify units	<u>"</u>
1. IN RESIDENTIAL AREAS	Annrox	4800		4800/1 m	ilo rad	ius Appro	v 175	1 mile	rad.
2. IN COMMERCIAL 2. OR INDUSTRIAL AREAS	· · · · · · · · · · · · · · · · · · ·				 	Coke	& Sinter	Plant	
IN BURLICLY	45	0		450/	1/4 mil	e Sever	al Build	ings 1/4	_mi e
3. TRAVELLED AREAS	,								
PUBLIC USE AREAS 4. (parks, schools, etc.)									
	None	X. v	VATER AN	D HYDROLOG	ICAL DAT	<u> </u>		L	-
A DEPTHITO GROUNDWATER POLITICAL FOR THE POLITIC	(y unit)	B. DIREC	TION OF FL	.OW		C. GROUNDWA			
Hooverson Heights-74 f	t.	West-to	OWARDS	Ohio Rive	SUPPLY	Public Wa	ter Supp	TV	PLY
	ın I	(epecit)	Annr	edure)	ı	South Eas			
G. TYPE OF DRINKING WATER SUP	-	-						· • • • • • • • • • • • • • • • • • • •	
1. NON-COMMUNITY X	2. COMMU! > 15 CO	NITY (spec	:ify town): HS —	Follansb	ee and l	<u>looverson</u>	<u>Heights</u>		
			-						

Continued From	Page 8				
	WATER W	X. WATER AND HYDROLOGICAL DATA	A (continued)		
H. LIST ALL UNIN	IKING WATER WE	ELLS WITHIN A 1/4 MILE RADIUS OF SITE		4:	5.
1. WELL	2. DEPTH (specify unit)	3. LOCATION (proximity to population/bu	ulldings)	MUNITY (mark 'X')	COMMUN- ITY (mark 'X')
No drinkin	g water we	lls located within 1/4 mile of s	site.		
I. RECEIVING WA	TER		V	RIGINAL	
Dhio River Mahan Run		4. LAKES/RESERVOIRS 5. OTHE		(Red)	
The Ohio R which inclu stream.	iver in the	e area of concern is used for ing and off and on shore fishing.	ndustrial and recrea Mahan Run is a war	tional p m water	urposes fish
		XI. SOIL AND VEGITATION DA	ATA		
			O YEAR FLOOD PLAIN	D. WETLAND	
L 5. 7 7500-	ATED FLOOD	XII. TYPE OF GEOLOGICAL MATERIAL		<u> </u>	
Mark 'X' to indic	cate the type(s)	of geological material observed and specify who		parts.	
A. CVERBUF	'x'	B. BEDROCK (epecify below)	C. OTHER (ape		
X 1. SAND	· X L	imestone, siltstone, shale,			
X 2. CLAY					
3. GRAVEL					
		XIII. SOIL PERMEABILITY	1		
	TE (10 to .1 cm/se	B. VERY HIGH (100,000 to 1000 cm/sec.	C. HIGH (1000 to 10 cm		ec.)
G. RECHARGE AF	2. NO 3.	. COMMENTS:			
H. DISCHARGE AL		. COMMENTS:			
I. SLOPE		. SPECIFY DIRECTION OF SLOPE, CONDITION OF	S SI OPE. ETC.		
1. ESTIMATE % 0	S	Sloping West	3,072, 2.0.		
J. OTHER GEOLG	OGICAL DATA				
Reclaimed s	trip mine;	area is moderately eroded.			

Continued From Front		XIV. PERMIT IN	FORMATION				
List all applicable permits he	eld by the site and						
A. PERMIT TYPE			D. DATE	E. EXPIRATION	F. IN	ANCE	
A. PERMIT TYPE (e.g.,RCRA,State,NPDES,etc.)	B. ISSUING AGENCY	Ç. PERMIT NUMBER	(mo.,day,&yr.)	DATE (mo.,dey,&yr.)	1. YES	2. NO	3. UN-
No permits issued							
						-	
	XV. PAST	REGULATORY OR E	ENFORCEMENT AC	TIONS			
Currently working from demolished sm				734. 0. 25			
				gri G	3 NA L Red)		
NOTE: Based on the info		ons III through XV,	fill out the Tenta	tive Disposition (Section	II) infor	rmatio

PAGE 10 OF 10

EPA Form T2070-3 (10-79)

SECTION 4

SAMPLE DATA SUMMARY

Site Name: Whoelive-Pittsburgh Steel

TDD No.: \$201-10

EPA No.: NV-50

Date of Sample: 6-17-83

ORGANIC] - INORGANIC

COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively	identi			s see A	nalytic	al Data	Sheels	in the	appendixes.
Sample 1.D. No. Types and Location		metholene chloride	न्द्रम्भारम् विषया । इ.स.च्या		Element	/Composition	ind Name		Comment
Sample Blank C1494			*	*					* - < 100g/1
Lab Blank	*	*			*				
C-1493-Mahan Run Uptream	*	ļ	ļ			_			
CIKE - Muhai Rin Dainttean		*							
						-	-	1	
					1 -				
					1				
!		!				1	1		
								<u> </u>	
					<u> </u>				
						<u> </u>			
									·

SAMPLE DATA SUMMARY

Sice Name: Wheelow-PHsburgh Stee
TDD No.: 8201-10

TDD No.: 8201-10

EPA No.: WV-50

Date of Sample: 6-17-82

ORGANIC ⊠ INORGANIC

COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively identified compounds see Analytical Data Sheets in the appendixes)

Sample I.D. No. Types and Location	7	<u> </u>	1	Barium	1	- Calmium	+	X.Adag	Comment: Detector Imits except For Cr.
Lab Blank	1200	i2	2/00	1 25	\	150	2.50	1250	FOR Cr.
MC-9082 Mahan Run Upstream	1 1		470		1.1			1300	jagh
			and the second s						
					-				
			·						

Site Name: Wheeloo-Pitsburgh Steel

TDD No.: 8301-10

EPA No.: WV-50

Date of Sample: 6-17-82

ORGANIC COMPOUNDS IDENTIFIED IN SAMPLE RESULTS Ø INORGANIC

Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively	ident	ified c	ompound	s see A	nalytica	al Data	Sheets	in the	appendixes)
					Element/	Compou	nd Name		maniaj.
		1	/	\ \\	/	1		1	.,,
			_/	₹ Z	/		म्	<u>ک</u> ا	3
-		F4	Nickel	\$	M 0	2/	<u>लग्दर्धमा</u>	Sevic	J WOWI
Sample I.D. No. Types and Location	-	3	Ž	Navyawisse	M C	Jorce		#	Comment
Sample Blank MC QO83	125	X40	115	57	<100	1 2000	1/0	120	Detection limits except
Lab Blank					<u></u>				
MC-9082-Nahau Ruo Upstream	7.8		110		160				-
MC9281 Halan Ran Direstream		<u> </u>	240	63					
				<u> </u>		ļ			
								ļ	
					-				
							V.1.Ph.		
									78 V V V V V V V V V V V V V V V V V V V
			1			. 1		<u> </u>	

Site Name: Wheeling-Pittsburgh Steel

TDD No.: 8201-10

EPA No.: WV-50

Date of Sample: 6-17-82

ORGANIC COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/l - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively identified compounds see Analytical Data Sheets in the appendixes)

Sample 1.D. No.		_/	1	Element,	/Cumpoun	1 7	Comments
Types and Location	 	1 1/0	102			1	Detection Limits
Sample Blank MC 9083 Lab Blank	122	1 1/0	1 203		70		
MC9082 Muhan Run Upstreum MC9081 Muhan Run Dunstream							
	-						
				1			

Site Name: Wheeling Pittsburgh steel
TDD No .: 8201-10
EPA No .: WV-50

Date of Sample: 6-17-82

ORGANIC -

COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively identified compounds see Analytical Data Sheets in the appendixes

Sample I.D. No. Types and Location	,	- They col	- Scene philh ene	»/	Element/	Compoun	is a standard of the standard		Comment
Lab Blank C-1596 Lab Blank C-1475 black resio - Suspected coal tar waste		15°C	2400	4300	160	13	150¢	1550	Nove Detate
					·				
						.			
			:						

Site Name: Wheeling-Pittsburgh Steel
TDD No.: 8201-10 TDD No.: \$201-10

EPA No.: WV-50

Date of Sample: 6-17-82 . EPA No .: ORGANIC COMPOUNDS IDENTIFIED IN SAMPLE RESULTS D INORGANIC Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid) (For tentatively identified compounds see Analytical Data Sheets in the appendixes Element/Compound Name Sample I.D. No. Comment Types and Location Nove Detected Sample Blank C-1596 Lab Blank C-1475 blackresin -750 3900 | 240 630 600 1900 suspected coal tar weste 3300 1200

Sice Name: Wheeling-Pittsburgh Steel

TDD No.: \$201-10

EPA No.: WV-50

Date of Sample: 6-17-82

X ORGANIC □ INORGANIC

COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/1 - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively identified compounds see Analytical Data Sheets in the appendixes)

Sample I.D. No. Types and Location		J. J. J. J. J. J. J. J. J. J. J. J. J. J	Busene	יאר קריים אור	E) ement	/Compou	nd Name		Comments
Sample Blank C-1606		18		102					and the second s
Lab Blank C-1975 - black resin - suspected coal tar waste	1100	35000	140	17000					-
							ANIMANIAN AL A MARYON .		
						1		1	1
						1	1	1	
	.					<u> </u>]	
					-				
								ļ	
								1	
						. [

Wheeling - Pittsburgh steel Site Name:

TDD No.: 8: .. EPA No.: Unter of Sample:

⊠INORGANIC

COMPOUNDS IDENTIFIED IN SAMPLE RESULTS

Concentrations in: ppb = ug/l - L (aqueous); ppb = ug/kg - S (solid)

(For tentatively identified compounds see Analytical Data Sheets in the appendixes)

			•		-				
					Element,	/Compou	nd Name		
		/		ə /	/	/		1	
				Hawaginese		J.	<i>,</i>	gaide	
Sample I.D. No.	_	^{ाका ध्र} ाजा	7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	े हैं रे	المالية المالية	Arsenie	र विकास	्र्यु	
Types and Location	-	₹	7	피	11/1	7	4	<u> </u>	Comment:
Sample Blank MC-985									Nove Dolated
Lab Blank							ļ		
HC-9064 black Resive	160 × 103	54×103	40×10	4.5×10	3 18×103	8.5×10	62×103		-
					İ				
				1	i -			İ	
			1					1	
				1				1	
				1			<u> </u>		1
				 				<u> </u>	1
				<u> </u>					
		·							
		- 1	ı						

(NOINAL

SECTION 5

ECOLOGY AND ENVIRONMENT, INC. TOXICOLOGICAL ASSESSMENT

SITE: Wheeling-Pittsburg Steel

TDD NO.: F3-8201-10 EPA NO.: WV-50

VV

Program is recommended.

DATE: September 29, 1982 AL 17)

Based on review of Background Information, Site Observations and Laboratory Analytical Data, the following conclusions are indicated:

XX	There is no indication of an imminent or severe adverse toxicological impact to public health or the environment.
	There are possible indication(s) of potential adverse toxicological and/or environmental impact. A more compreshensive Site Investigation and Sampling

A review of the information presented herein is sufficient to indicate a potential adverse impact on human health and/or the environment. A Toxicological Impact Assessment is advised.

Samples of waste and surface water collected on 6/17/82 at this Wheeling-Pittsburgh Steel coal tar disposal site revealed the following:

- o No organics were detected above sample blank quantities in Mahan Run Creek flowing adjacent to the site area.
 - o No inorganics at levels of toxicologic concern were noted in this creek.

The sample of the suspected coal tar reveals the presence of potentially carcinogenic polynuclear aromatic hydrocarbons that comprise coal tar. The known carcinogen, benzene, at 35,000 ug/l, and cyanide at 62,000 ug/l were detected in this sample.

Air readings up to 700 ppm on the OVA were noted after the waste was disturbed; however, no readings above background were detected initially. Since there appears to be no release of contaminants into the surface water and there are no groundwater targets, the only hazard assoicated with this site appears to be from inhalation if the waste is disturbed.

Industrial Hygienist

Symms Ph.D.,

RIGINAL Red)

SECTION 6


TVNIDING

A KICHEGAA

SITE NAME: Wheeling-Pittsburgh steel

01-1068 : . ON DOL EPA NO.: WV-50

FIGURE NO. 602



SOURCE: Site Observations


SCALE: Not to scale

SITE NAME: Wheeling-Pittsburgh stoel / Koppers disposal site

TOD NO.: 8201-10

EPA NO.: UVV-50

FIGURE NO. 6-1



SOURCE: U.S. 6.5. Topographic 7/2' Qual EAST Steubenville

SCALE: 1:24000

MICHAL 1001

SECTION 7

ORIGINAL

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50

PHOTOGRAPHIC LOG



Photo 1 - Facing North into disposal area.



Photo 2 - Facing North-East into disposal area.

Wheeling-Pittsburg *reel
TDD No. F3-8201-10 EPA No. WV-50
Photographic Log

Suspected and that disposed area

RIGINAL SOST

wheeling - Attacy in Steel TDE = - 8201-10 EPP = - WW-SE Suspected coal for dispural crea

1-4 6-17-82 Eight Paris

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50 Photographic Log



Photo 3 - Facing East into disposal area.



Photo 4 - Facing South-West out of disposal area.

Wheeling-Pittsburg Steel
TDD No. F3-8201-10
EPA No. WV-50

PHOTOGRAPHIC LOG

extension and the demand area

opperling - 6 - 7. 10,000 Test

TEST - 7.001-16

Stipperted cool tor disposal area

1-1

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50 Photographic Log




Photo 5 - Facing West-coal tar disposal area.

ARIONAL

4037



Photo 6 - Facing South-East at disposal area.

Wheeling-Pittsburg Ceel TDD No. F3-8201-10 EPA No. WV-50 Photographic Log

Suspected contitue dispessi cree

wheeling - Pottstingh Steel

+00 = 195011-10

Eff = 100-30

Suspated coal tur disposel cros

1-26-17-82 Earl Vinne

Wheeling-Pittsburg Steel TDD No. F3-8201-10 EPA No. WV-50 Photographic Log



Photo 7 - Facing South out of disposal area.






Photo 8 - Facing South-East away from disposal area.

Wheeling-Pittsburg Creel TDD No. F3-8201-10 EPA No. WV-50 Photographic Log

suspected coal tor disposed are.

ariginal (Red) -

The posted coal tor dispused aron

6-17-80 Ergens Donny